Solaris defectus Observationes Grenovici habita Anno 1684. Julii 2. p. m. ab 7. F. &c.

A Dhujus Eclipsis observationem, præter tubum pedum 16. assuetum, scenam etiam sub obscurato conclavi cum præparassem, quo diameter circuli solis speciemin alba tabella adæquantis, 5½ digitos pedis Anglicani lati, sedecim circulis concentricis æquidistantibus in 32 partes æquales distinguebatur, quot fere minutorum Solis nunc dianieter: Cœlum mane præcedente nubibus obductum extitit. Hisce tamen circa horam secundam p. m. distipatis, Sol clarus & ab Eclipsi immunis explenduit hor. 2h 0 4. Deinde ab issdem rursus exceptus latuit usque 2h 12/3, quando ab iis iterum prodeuntis plus quam media pars unius minuti supra scenam in limbo desicere videbatur. Exinde cœlum ad finem usque satis habuimus propitium: sed phasium crescentium parum incommodæ suere supra scenam observationes, propter nimiam solis altitudinem, & per tubum. Quoniam ventus ab Africo flans vehementior, stabilem illum detineri non permisit; pauciores quamobrem, utrisque ante medium factæ adnotationes. Obscuratio maxima fuit min. 191 fupra scenam, cujus ope observatis etiam tubo & micrometro factæ animadversiones satis consentiunt. Desit Eclipsis hora 4h 27' 37". accurate, cum mihi per tubum, tum ministro supra scenam observanti; vix plus uno temporis scrupulo horario serius quam edita à me antea ejusdem promiserat Constructio: Reliqua sic se habuere observata.

kon	mp. 1 rolog. illato		abol	bjera	vat.		partes Jupra Joen. defic.	liber. micr	æ   0-
2		02 25 20		03 12 12 23	40	Sol integer, tunc nubes.  Odef, per exiguum ima ora.  Partes obscuratæ supra scenam	0 <sup>1</sup> / <sub>2</sub>		l)
	46	40	<b>)</b>	37	55	provide bearing the second of the second sec	1	22	19
Ŋ					•			51	37

	[092]			
1	1	1	1'	11
5 I 37	42 52	11		
3 05 23	56 38	15		
9 05	3 00 2 Centrum	16		
10 04	1 10		15	07
11 47	3 02		14	36
3 12 15	· I	17	-	<b>J</b> -
13 23	4 38 Cornua horizontalia ——	•	1	
17 43	8 58	18		
21 48	13 03		12	30
23 00	<b>3</b> )	19	1	.) ~
	14 15	.9	12	11
25 40		101	12	12
29 51	20 06	191	1	
33 54	25 09	1 9 2		
40 08	31 23	19		
43 16	34 31	181		
45 35	36 50	18		
49 15	40 30 Cuspis inferior ad Nadir Os			
50 02	41 17	17		
54 20	45 35 Centrum	16		
56 45	48 00	15		
1 02 58	54 13	13		
6 0	57 15 fere	I 2		
8 45 4	, ,	<b>I</b> I		
16 32	7. 47	8		
<i>J</i> )	C-C-11	•		
	Taken C C 11		7	32
24 08	- "	5	•	J
24 20	15 35	"	T 2"	2 ~
27 14	10 20 meet outplaces		15	35
29 36		2,1	T 3	22
30 32	21 47 Inter Cuspides ————	ابد	I 2	1,2
33 CG	24	ı *		
36 22	27 37 Finis accurate.	1		

Deinde ad errorem horologii investigandum, distantiæ observatæ à vertice.

4 43 38 60 11 00 4 34 56 8 42 45 48 limbi 0s 60 31 20 4 37 07 8 41 46 56 inferioris 60 41 50 4 38 15 8 43	To the second		1	7	bor.	inde supp. Error	. hor.	
	4	43 38			5 ·	34 56 8	4 2 4 i	
40 02 61 01 404 40 22 8 41		46 56 inferioris	60	•	1.	38 158		A